



COMPANY PROFILE

From conception of design to shipping, quality control in all aspects Easy and efficient installations for maximum satisfaction.

Well-known across the globe for manufacturing and exporting terracotta tiles, is synonymous with quality. A proud “Made In India” company, our traditional designs are embedded into modern manufacturing practices. We manufacture an array of terracotta tiles, such as decorative tiles, jaali tiles, and roofing tiles.

We harbour more than six decades of experience, and this has consequently led to a customer base that consistently asks for OUR TERRACOTTA PRODUCTS in the market.

From conception to design, each tile is created with love and care. We ensure quality control in every aspect of the manufacturing and shipping process.

Terracotta Products Made With 100% Natural Clay

You heard that right! Our products are made with 100% natural clay. This clay is sourced directly by our artisans who have years of experience in creating high-quality products. Our earthenware products are built to last and contain no binding agents. We remain 100% true to our promise of offering authentic natural clay products.



The King of Roofing Tiles



**We Export To 15+ Countries
Across The Globe Conquering The World,
One Terracotta Product At A Time.**



All World to Conquer

QUALITY

ROOF TILES FOR STYLISH LIVING



Benefits of clay Roofings

The Benefits of Tile Roofing

Clay roof tiling can provide homeowners with a durable and aesthetically pleasant exterior. Some clay roofs can last for a century, and many require only a minimal amount of maintenance.

That makes clay a viable option compared to similar materials like terra cotta, fired clay, molded concrete, or slate.

Clay tile roofs have many attractive characteristics and properties including:

1. Longevity

Clay roof tiles have a longer lifespan than many other materials. These roofs can have a service life of as long as a hundred years. Even on the low end, you can expect at least 50 years out of a clay tile roof. This is because the tiles are built to be nearly indestructible and resistant to the elements.

2. Low Maintenance

Compared to other roofing materials, clay tiles require less maintenance, which can lower the total cost of ownership. The most common type of roof material is traditional tiles.

3. Durability

Clay tiles do not rot and they're fire and insect-resistant. This durability makes them not only structurally reliable but attractive for many years to come.

4. Weather resistance

Other materials expand and contract to a greater degree when extreme conditions occur. In contrast, clay maintains the roof's integrity by withstanding the most extreme hot and cold weather events. They are also able to resist the harmful ultraviolet radiation from the sun.

Compared to asphalt tiles, they provide:

- * **Better solar reflectiveness** -

Unglazed, red terra cotta is the most reflective type of clay tile roofing. It reflects around 33% of all sun rays. A typical asphalt roof will only reflect 5 - 15% of those rays.

- * **Higher thermal mass** -

What this boils down to is clay tiles are capable of dispersing heat at night, instead of releasing all the heat during the daytime and potentially overheating the home. This works hand in hand with the better insulation properties to give your home better energy efficiency.

5. Insulation

Air freely circulates beneath these tiles, which regulates rooftop temperatures, helping maintain temperatures inside the home.

6. Aesthetics

The style for clay tile roofs is inspired by Spanish and Mediterranean designs. This appearance complements a variety of sidings. For example, a clay tile roof can enhance the look of brick or stone sidings, making it compatible with the most trending design styles for homes.

Traditional Tiles

Traditional Terracotta Tiles are often used in roofing and have a simple, but effective design to enhance the quality of your structure.

Tailor Tiles

Tailor Tiles have a simple, yet effective design. These tiles can elevate the overall look and build for any project.

Roofing Tiles

Our Roofing Tiles are specially crafted to be weather resistant and are available in numerous designs so you can choose something that works for you.

Elevation Bricks

Efficient and strong, our Elevation Bricks can be a great addition if you are designing a rustic or modern structure.

Ceiling Tiles

Ceiling Tiles are designed to give any room a stylish look while also keeping it insulated and are traditionally used under a fabricated roof or roofing tiles.

Flooring Tiles

It can be used in a variety of rooms in the home, including the kitchen, living room, and bedroom & outdoors too.

Terracotta Jaali

Our most loved tiles are the Terracotta Jaali designs, available in over 15+ designs. These tiles are decorative tiles, which give any room an air of authenticity and elegance.

Accessories

Accessories Tiles can be used throughout the roofing structure and in combination with any of our other tiles.



Traditional Tiles

These Clay tiles are extremely durable and can last for centuries, even in harsh weather conditions. They are also resistant to fire, rot, and pests. These tiles have excellent thermal mass, which means they can absorb and store heat during the day and release it at night. This helps to keep your home cooler in the summer and warmer in the winter, reducing your energy bills.

Suitability


Metal Fabricated / Concrete Pitch Roof (Slab) & Cement Sheet .




Tradional Tiles



01 (381mm x 229mm)
Single Groove
Size : 15"x9" (381mm x 229mm)
Per 100 Sq. Ft. 150 Nos
1 Sqm. = 16.2 Nos
Weight Kg/Pc : 2.3



02 (407mm x 254mm)
Double Groove
Size : 16"x10"
Per 100 Sq. Ft. 120 Nos
1 Sqm. = 13 Nos
Weight Kg/Pc : 2.8



03 (229mm x 153mm)
Medium Roofing
Size : 9"x6"
Per 100 Sq. Ft. 330 Nos
1 Sqm. = 36 Nos
Weight Kg/Pc : 0.750



04 (204mm x 127mm)
Mini Roofing
Size : 8"x5"
Per 100 Sq. Ft. 500 Nos
1 Sqm. = 54 Nos
Weight Kg/Pc : 0.550



05 (305mm x 127mm x 102mm)
Country Tiles (Desi Naar)
Size : 12"x5"x4"
Per 100 Sq. Ft. 500 Nos
1 Sqm. = 54 Nos
Weight Kg/Pc : 1




Tailor Tiles


Tailor tiles are made to fit the exact dimensions of your roof, which ensures a perfect fit. This can help to prevent leaks and other problems. This Tiles can be customized to match the existing architectural style of your home, which can help to improve its overall appearance.

Suitability

Metal Fabricated / Concrete Pitch Roof (Slab) & Cement Sheet.




Tailor Tiles



8 (178mm x 127mm)

Mini Tailor

Size : 7"x5"
Per 100 Sq. Ft. 625 Nos
1 Sqm. = 68 Nos
Weight Kg/Pc : 0.500



9 (178mm x 127mm)

Mini Italian Tailor

Size : 7"x5"
Per 100 Sq. Ft. 625 Nos
1 Sqm. = 68 Nos
Weight Kg/Pc : 0.500



10 (229mm x 178mm)

Medium Tailor

Size : 9"x7"
Per 100 Sq. Ft. 300 Nos
1 Sqm. = 33 Nos
Weight Kg/Pc : 0.950



11 (229mm x 178mm)

Medium Italian Tailor

Size : 9"x7"
Per 100 Sq. Ft. 300 Nos
1 Sqm. = 33 Nos
Weight Kg/Pc : 0.950



Tailor Tiles



12 (254mm x 204mm)
10X8 Tailor
Size : 10"x8"
Per 100 Sq. Ft. 270 Nos
1 Sqm. = 30 Nos
Weight Kg/Pc : 1.3



13 (305mm x 204mm)
12X8 Tailor
Size : 12"x8"
Per 100 Sq. Ft. 240 Nos
1 Sqm. = 26 Nos
Weight Kg/Pc : 1.6



14 (407mm x 254mm)
16x10 Tailor
Size : 16"x10"
Per 100 Sq. Ft. 90 Nos
1 Sqm. = 10 Nos
Weight Kg/Pc : 2.8



15 (458mm x 254mm)
Portuguese Tiles
Size : 18"x10"
Per 100 Sq. Ft. 112 Nos
1 Sqm. = 12 Nos
Weight Kg/Pc : 3.5




Decorative Tiles


Decorative tiles are a popular choice for balconies because of their warm and earthy color. They can be used to create a rustic or Mediterranean look.

Suitability


Concrete Pitch Roof (Slab) & Cement Sheet.



Roofing Tiles




18 (204mm x 102mm)
Double Channel
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550




19 (204mm x 102mm)
Rajwadi Channel
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550



20 (204mm x 102mm)
White House
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550




21 (204mm x 127mm)
Rajwadi Round Channel
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650



22 (204mm x 127mm)
Triple Rajwadi
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650



Roofing Tiles



23 (204mm x 127mm)


Triple Channel

Size : 8"x5"

Per 100 Sq. Ft. 360 Nos

1 Sqm. = 39 Nos

Weight Kg/Pc : 0.650



24 (204mm x 127mm)

Royal Channel

Size : 8"x5"

Per 100 Sq. Ft. 360 Nos

1 Sqm. = 39 Nos

Weight Kg/Pc : 0.650



25 (204mm x 127mm)


Round Channel

Size : 8"x5"

Per 100 Sq. Ft. 360 Nos

1 Sqm. = 39 Nos

Weight Kg/Pc : 0.650



26 (229mm x 153mm)

Four Rajwadi

Size : 9"x6"

Per 100 Sq. Ft. 270 Nos

1 Sqm. = 30 Nos

Weight Kg/Pc : 0.800



Ceiling Tiles

The Clay Ceiling tiles are tiles used under roofing tiles of a fabricated roof to have additional thermal insulation, waterproofing, and aesthetic appeal. Multiple designs are available to match with interior design. Terracotta ceiling tiles are also known as bottom tiles for roofing. The advantage of using ceiling and roof tiles is the feasibility of fixing both on the same pulings.

Advantages Of Using Ceiling Tiles

Improved thermal comfort, as it acts as an additional insulator after roof tiles. Ceiling Tiles Provide Better aesthetic appeal for the interior ceiling to match the interior theme. Ceiling Tiles can cover in any underlay sheets used under roof tiles for additional water-tightness.

Suitability

Metal Fabricated.



Ceiling Tiles



28 (305mm x 204mm)

Flower Ceiling

Size : 12"x8"

Per 100 Sq. Ft. 150 Nos

1 Sqm. = 16.2 Nos

Weight Kg/Pc : 2



29 (305mm x 204mm)


Oval Ceiling

Size : 12"x8"

Per 100 Sq. Ft. 150 Nos

1 Sqm. = 16.2 Nos

Weight Kg/Pc : 2



Elevation Bricks

Terracotta wall bricks are a type of brick that is made from fired clay. They are available in a variety of textures, and they can be used to create a variety of different looks for your walls. Terracotta wall bricks are a popular choice for both indoor and outdoor use.

Suitability

Best For Indoor And Outdoor Walls Attached With Our Terracotta Adhesive.




Elevation Bricks




31 (229mm x 77mm)
Facing Bricks
Size : 9"x3"
Per 100 Sq. Ft. 540 Nos
1 Sqm. = 59 Nos
Weight Kg/Pc : 0.400



32 (229mm x 77mm)
Elevation Bricks
Size : 9"x3"
Per 100 Sq. Ft. 540 Nos
1 Sqm. = 59 Nos
Weight Kg/Pc : 0.400



33 (229mm x 77mm)
Wooden Structure
Size : 9"x3"
Per 100 Sq. Ft. 540 Nos
1 Sqm. = 59 Nos
Weight Kg/Pc : 0.400



34 (229mm x 77mm)
Random Rustic
Size : 9"x3"
Per 100 Sq. Ft. 540 Nos
1 Sqm. = 59 Nos
Weight Kg/Pc : 0.400



Terracotta Floor Tiles

It can be used in a variety of rooms in the home, including the kitchen, living room, and bedroom. They are also a good choice for outdoor areas such as patios, decks, and walkways. Terracotta floor tiles are a beautiful and durable choice for flooring. With proper care, they can last for many years and add a touch of rustic charm to any home.

Suitability

Best For Indoor And Outdoor Flooring For Cool Surface Attached With Our Terracotta Adhesive.



Flooring Tiles



37 (153mm x 153mm)

Hexagonal Tiles

Size : 6"x6"

Per 100 Sq. Ft. 400 Nos

1 Sqm. = 44 Nos

Weight Kg/Pc : 0.600



38 (204mm x 204mm)

Terracotta Tiles

Size : 8"x8"

Per 100 Sq. Ft. 225 Nos

1 Sqm. = 25 Nos

Weight Kg/Pc : 1.2



39 (229mm x 229mm)

Terracotta Tiles

Size : 9"x9"

Per 100 Sq. Ft. 175 Nos

1 Sqm. = 19Nos

Weight Kg/Pc : 1.5



40 (305mm x 305mm)

Terracotta Tiles

Size : 12"x12"

Per 100 Sq. Ft. 100 Nos

1 Sqm. = 11 Nos

Weight Kg/Pc : 2.2



Terracotta Jaali

It is a type of perforated terracotta screen that is used for decorative purposes. It is a traditional Indian craft that has been used for centuries to adorn temples, mosques, palaces, and other buildings. Terracotta Jaali is made by baked clay and is available in a variety of designs, from simple geometric patterns to intricate floral and animal motifs.


Terracotta Jaali is often used to decorate windows and doors, but it can also be used to create partitions, screens, and other architectural elements. It is also a popular choice for outdoor use, as it is durable and weather-resistant.

Suitability

Best For Indoor And Outdoor Areas, Attach It With Our Terracotta Adhesive And Grouts.



Terracotta Jaali



42 (204mm x 204mm)

Four Petal Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



43 (204mm x 204mm)

Opal Jaali


Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



44 (204mm x 204mm)

Amber Jaali

Size : 8"x8 "
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



45 (204mm x 204mm)

Square Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



46 (204mm x 204mm)

Pearl Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



47 (204mm x 204mm)

Zebra Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



Terracotta Jaali



48 (204mm x 204mm)

Lotus Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



49 (204mm x 204mm)

Lily Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



50 (204mm x 204mm)

Arrow Jaali


Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



51 (204mm x 204mm)

Topaz Jaali


Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



52 (204mm x 204mm)

Cubic Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5




53 (204mm x 204mm)

Cross Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



Terracotta Jaali



54 (204mm x 204mm)

Diamond Jaali

Size : 8"x8"

Per 100 Sq. Ft. 225 Nos

1 Sqm. = 25 Nos

Weight Kg/Pc : 2.5



55 (204mm x 204mm)


Camp Jaali

Size : 8"x8"

Per 100 Sq. Ft. 225 Nos

1 Sqm. = 25 Nos

Weight Kg/Pc : 2.5



56 (204mm x 204mm)


Slice Jaali

Size : 8"x8"

Per 100 Sq. Ft. 225 Nos

1 Sqm. = 25 Nos

Weight Kg/Pc : 2.5



57 (305mm x 204mm)

W Jaali

Size : 12"x8"

Per 100 Sq. Ft. 150 Nos

1 Sqm. = 16.2 Nos

Weight Kg/Pc : 4.5



Accessories

Roofing tile accessories are essential components that complement and enhance the functionality of a roof. They play a crucial role in ensuring the roof's overall integrity, weatherproofing, ventilation, and aesthetic appeal.

Attach It With Our Terracotta Adhesive And Grouts.



Accessories Tiles



61 (204mm x 102mm)
V-Plain Ridge
Size : 8"x4"
Per 100 Rft. 200 Nos
1 Rm. = 6.6 Nos
Weight Kg/Pc : 0.600



62 (204mm x 127mm)
Round Ridge
Size : 8"x5"
Per 100 Rft. 200 Nos
1 Rm. = 6.6 Nos
Weight Kg/Pc : 650



63 (381mm x 254mm)
Roofing Ridge
Size : 15"x10"
Per 100 Rft. 100 Nos
1 Rm. = 3.3 Nos
Weight Kg/Pc : 3



64 (381mm x 229mm)
Tailor Ridge
Size : 15"x10"
Per 100 Rft. 100 Nos
1 Rm. = 3.3 Nos
Weight Kg/Pc : 2.7



Accessories Tiles




65 (381mm x 229mm)

End Corner

Size : 15"x9"

Used only at end of corner for
Decorative purpose below
Roofing ridge.

Weight Kg/Pc : 3



66 (153mm x 153mm)


AC Hollow

Size : 6"x6"

Per 100 Sq. Ft. 400 Nos

1 Sqm. = 44 Nos

Weight Kg/Pc : 1.2



67

Terracotta Adhesive

20 KG BAG

Approx 50-100 Sqft Per 20 Kg Bag


As Per Usage And Product




**Any Customize Size And Dimension Of
Terracotta Product Can Be Made By Us.**

**All The Products Are Made From 100%
Natural Terracotta Red Clay.**

**All The Products Are 100%
Chemical Free And Eco-friendly.**



APPLICATION AREA



TECHNICAL SPECIFICATION



