

300X200 SERIES

					
MODEL	SCL 302010	MODEL	SCL 302015	MODEL	SCL 302017
Dimensions OD	300x200x100 mm	Dimensions OD	300x200x150 mm	Dimensions OD	300X200X175 mm
Dimensions ID	265x165x95 mm	Dimensions ID	265x165x145 mm	Dimensions ID	265X165X170 mm
					
MODEL	SCL 302020	MODEL	LID 300X200		
Dimensions OD	300x200x200 mm	Dimensions OD	300x200x200 mm		
Dimensions ID	265x165x190 mm	LID 300x200 with Locking Clips			

400X300 SERIES

					
MODEL	SCL 403006	MODEL	SCL 403009	MODEL	SCL 403010
Dimensions OD	400x300x065 mm	Dimensions OD	400x300x090 mm	Dimensions OD	400x300x100 mm
Dimensions ID	365x265x060 mm	Dimensions ID	365x265x85 mm	Dimensions ID	365x265x95 mm
					
MODEL	SCL 403012	MODEL	SCL 403015	MODEL	SCL 403017
Dimensions OD	400x300x120 mm	Dimensions OD	400x300x150 mm	Dimensions OD	400x300x175 mm
Dimensions ID	365x265x115 mm	Dimensions ID	365x265x145 mm	Dimensions ID	365x265x170 mm
					
Side Perforated Bottom Closed		Totally Perforated			
MODEL	SSP 403017	MODEL	STP 403017	MODEL	
Dimensions OD	400x300x175 mm	Dimensions OD	400x300x175 mm	Dimensions OD	400x300x200 mm
Dimensions ID	365x265x170 mm	Dimensions ID	365x265x170 mm	Dimensions ID	365x265x195 mm
					
MODEL	SCL 403022	MODEL	SCL 403024	MODEL	SCL 403027
Dimensions OD	400x300x220 mm	Dimensions OD	400x300x240 mm	Dimensions OD	400x300x275 mm
Dimensions ID	365x265x215 mm	Dimensions ID	365x265x235 mm	Dimensions ID	365x265x270 mm



Complete Closed with Handle Available Button Bottom

MODEL	SCL 403032	MODEL	SCH 404012	MODEL	LID 400 X 300
Dimensions OD	400x300x320 mm	Dimensions OD	400X400X120 mm	Dimensions OD	400x300x320 mm
Dimensions ID	365x265x315 mm	Dimensions ID	365x365x110 mm	LID 400x300 with Locking Clip	
					
MODEL	LID 400x300 DLX				
Technical Dimensions	Size OD 400x300				

500X325 SERIES



MODEL	SCL 503210
Dimensions OD	500x325x100 mm
Dimensions ID	465x290x090 mm



MODEL	SCH 503210
Dimensions OD	500x325x100 mm
Dimensions ID	465x290x090 mm



Side Perforated Bottom Closed

MODEL	SSP 503210
Dimensions OD	500x325x100 mm
Dimensions ID	465x290x090 mm



MODEL	STP 503210
Dimensions OD	500x325x100 mm
Dimensions ID	465x290x090 mm



MODEL	SCL 503215
Dimensions OD	500x325x150 mm
Dimensions ID	465x290x145 mm



MODEL	SCH 503215
Dimensions OD	500x325x150 mm
Dimensions ID	465x290x145 mm



Side Perforated Bottom Closed

MODEL	SSP 503215
Dimensions OD	500x325x150 mm
Dimensions ID	465x290x145 mm



Totally Perforated

MODEL	STP 503215
Dimensions OD	500x325x150 mm
Dimensions ID	465x290x145 mm



MODEL	SCL 503220
Dimensions OD	500x325x200 MM
Dimensions ID	465x290x195 mm



MODEL	SCH 503220
Dimensions OD	500x325x200 MM
Dimensions ID	465x290x195 mm



MODEL	SSP 503220
Dimensions OD	500x325x200 MM
Dimensions ID	465x290x195 mm



MODEL	STP 503220
Dimensions OD	500x325x200 MM
Dimensions ID	465x290x195 mm



Front Partially Open

MODEL	SFPO 503220
--------------	-------------



MODEL	SCL 503225
--------------	------------



MODEL	SCL 503225
--------------	------------

Cleanboxcontainers@gmail.com

Dimensions OD	500x325x200 MM	Dimensions OD	500x325x250 mm	Dimensions OD	500x325x250 mm
Dimensions ID	465x290x195 mm	Dimensions ID	465x290x245 mm	Dimensions ID	465x290x245 mm
					
				Front Partially Open	
MODEL	SSP 503225	MODEL	STP 503225	MODEL	SFPO 503225
Dimensions OD	500x325x250 mm	Dimensions OD	500x325x250 mm	Dimensions OD	500x325x250 mm
Dimensions ID	465x290x245 mm	Dimensions ID	465x290x245 mm	Dimensions ID	465x290x245 mm
					
MODEL	LID 500X325				
Dimensions OD	500x325 MM				

540x360 Series (Multipurpose Crates)

					
MODEL	SCH 543620	MODEL	SCL 543620	MODEL	SSP 543620
Dimensions OD	540X360X205 mm	Dimensions OD	540X360X205 mm	Dimensions OD	540X360X205 mm
Dimensions ID	505X325X195mm	Dimensions ID	505X325X195mm	Dimensions ID	505X325X195mm
					
MODEL	STP 543620	MODEL	SCL 543630	MODEL	SCH 543630
Dimensions OD	540X360X205 mm	Dimensions OD	540X360X300 mm	Dimensions OD	540X360X300 mm
Dimensions ID	505X325X195mm	Dimensions ID	505X325X290mm	Dimensions ID	505X325X290mm
					
MODEL	STP 543630	MODEL	SCH 543634	MODEL	SCL 543634
Dimensions OD	540X360X300 mm	Dimensions OD	540X360X340 mm	Dimensions OD	540X360X340 mm
Dimensions ID	505X325X290mm	Dimensions ID	505X325X330 mm	Dimensions ID	505X325X330 mm
					
MODEL	SSP 543634	MODEL	STP 543634	MODEL	SCH 543635
Dimensions OD	540X360X340 mm	Dimensions OD	540X360X340 mm	Dimensions OD	540X360X350 mm
Dimensions ID	505X325X330 mm	Dimensions ID	505X325X330 mm	Dimensions ID	505X325X340 mm
					
MODEL	SCL 543635	MODEL	SSP 543635	MODEL	STP 543635

Dimensions OD	540X360X350 mm	Dimensions OD	540X360X350 mm	Dimensions OD	540X360X350 mm
Dimensions ID	505X325X340 mm	Dimensions ID	505X325X340 mm	Dimensions ID	505X325X340 mm
					
MODEL	PC-705 SCH	MODEL	PC-705 SCL	MODEL	PC-705 SSP
Dimensions OD	514X360X307 mm	Dimensions OD	514X360X307 mm	Dimensions OD	514X360X307 mm
Dimensions ID	484X330X302 mm	Dimensions ID	484X330X302 mm	Dimensions ID	484X330X302 mm
		MODEL	PC-705 STP		
		Dimensions OD	514X360X307 mm		
		Dimensions ID	484X330X302 mm		

600X400 SERIES



					
MODEL	SCL 604008	MODEL	SSP 604008	MODEL	STP 604008
Dimensions OD	600X400X080 mm	Dimensions OD	600X400X080 mm	Dimensions OD	600X400X080 mm
Dimensions ID	565X365X075 mm	Dimensions ID	565X365X075 mm	Dimensions ID	565X365X075 mm
					
MODEL	SCL 604010	MODEL	SCH 604012	MODEL	SCL 604012
Dimensions OD	600X400X100 mm	Dimensions OD	600X400X125 mm	Dimensions OD	600X400X125 mm
Dimensions ID	565X365X095 mm	Dimensions ID	565X365X120 mm	Dimensions ID	565X365X120 mm
					
MODEL	STP 604012	MODEL	SSP 604012	MODEL	SCH 604016
Dimensions OD	600X400X125 mm	Dimensions OD	600X400X125 mm	Dimensions OD	600X400X160 mm
Dimensions ID	565X365X120 mm	Dimensions ID	565X365X120 mm	Dimensions ID	565X365X155 mm
					
MODEL	SCL 604016	MODEL	SSP 604016	MODEL	STP 604016
Dimensions OD	600X400X160 mm	Dimensions OD	600X400X160 mm	Dimensions OD	600X400X160 mm
Dimensions ID	565X365X155 mm	Dimensions ID	565X365X155 mm	Dimensions ID	565X365X155 mm

					
MODEL	SCH 604017	MODEL	SCL 604017	MODEL	SSP 604017
Dimensions OD	600x400x175 mm	Dimensions OD	600x400x175 mm	Dimensions OD	600x400x175 mm
Dimensions ID	565X365X170 mm	Dimensions ID	565X365X170 mm	Dimensions ID	565X365X170 mm
					
MODEL	STP 604017	MODEL	SCH 604020	MODEL	SCL 604020
Dimensions OD	600x400x175 mm	Dimensions OD	600x400x200mm	Dimensions OD	600x400x200mm
Dimensions ID	565X365X170 mm	Dimensions ID	565x365x195 mm	Dimensions ID	565x365x195 mm
					
MODEL	SCL 604022	MODEL	SSP 604022	MODEL	STP 604022
Dimensions OD	600x400x220 mm	Dimensions OD	600x400x220 mm	Dimensions OD	600x400x220 mm
Dimensions ID	565x365x215 mm	Dimensions ID	565x365x215 mm	Dimensions ID	565x365x215 mm
					
MODEL	SCL 604024	MODEL	SCH 604024	MODEL	STP 604024
Dimensions OD	600X400X240 mm	Dimensions OD	600X400X240 mm	Dimensions OD	600X400X240 mm
Dimensions ID	565x365x235 mm	Dimensions ID	565x365x235 mm	Dimensions ID	565x365x235 mm
					
MODEL	SSP 604024	MODEL	SCH 604027	MODEL	SCL 604027
Dimensions OD	600X400X240 mm	Dimensions OD	600X400X275 mm	Dimensions OD	600X400X275 mm

Dimensions ID	565x365x235 mm	Dimensions ID	565X365X270 mm	Dimensions ID	565X365X270 mm
					
MODEL	SSP 604027	MODEL	STP 604027	MODEL	SCH 604028
Dimensions OD	600X400X275 mm	Dimensions OD	600X400X275 mm	Dimensions OD	600x400x280 mm
Dimensions ID	565X365X270 mm	Dimensions ID	565X365X270 mm	Dimensions ID	565x365x275 mm
					
MODEL	SCL 604028	MODEL	STP 604028	MODEL	SSP 604028
Dimensions OD	600x400x280 mm	Dimensions OD	600x400x280 mm	Dimensions OD	600x400x280 mm
Dimensions ID	565x365x275 mm	Dimensions ID	565x365x275 mm	Dimensions ID	565x365x275 mm
					
MODEL	SCH 604030	MODEL	SCH 604032	MODEL	SCL 604032
Dimensions OD	600x400x300 mm	Dimensions OD	600x400x325 mm	Dimensions OD	600x400x325 mm
Dimensions ID	565x365x295 mm	Dimensions ID	565x365x320 mm	Dimensions ID	565x365x320 mm
					
MODEL	STP 604032	MODEL	SSP 604032	MODEL	SCH 604038
Dimensions OD	600x400x325 mm	Dimensions OD	600x400x325 mm	Dimensions OD	600x400x380 mm
Dimensions ID	565x365x320 mm	Dimensions ID	565x365x320 mm	Dimensions ID	565x365x375 mm

					
MODEL	SCL 604038	MODEL	SSP 604038	MODEL	STP 604038
Dimensions OD	600x400x380 mm	Dimensions OD	600x400x380 mm	Dimensions OD	600x400x380 mm
Dimensions ID	565x365x375 mm	Dimensions ID	565x365x375 mm	Dimensions ID	565x365x375 mm
					
MODEL	SCH 604042	MODEL	SCL 604042	MODEL	STP 604042
Dimensions OD	600x400x425 mm	Dimensions OD	600x400x425 mm	Dimensions OD	600x400x425 mm
Dimensions ID	565x365x420 mm	Dimensions ID	565x365x420 mm	Dimensions ID	565x365x420 mm
					
MODEL	SSP 604042	MODEL	SCH 604048	MODEL	SCL 604048
Dimensions OD	600x400x425 mm	Dimensions OD	600x400x485 mm	Dimensions OD	600x400x485 mm
Dimensions ID	565x365x420 mm	Dimensions ID	565x365x480 mm	Dimensions ID	565x365x480 mm
					
MODEL	SSP 604048	MODEL	STP 604048	MODEL	LID 600x400
Dimensions OD	600x400x485 mm	Dimensions OD	600x400x485 mm	Dimensions OD	LID 600x400 with Locking Clip
Dimensions ID	565x365x480 mm	Dimensions ID	565x365x480 mm		

650X450 SERIES

					
MODEL	SCH 654521	MODEL	SCL 654521	MODEL	SSP 654521
Dimensions OD	650X450X210 mm	Dimensions OD	650X450X210 mm	Dimensions OD	650X450X210 mm
Dimensions ID	610X410X200 mm	Dimensions ID	610X410X200 mm	Dimensions ID	610X410X200 mm
					
MODEL	STP 654521	MODEL	SCL/SCH 654526	MODEL	SCH 654531
Dimensions OD	650X450X210 mm	Dimensions OD	650X450X260 mm	Dimensions OD	650X450X315 mm
Dimensions ID	610X410X200 mm	Dimensions ID	610X410X250 mm	Dimensions ID	610X410X305 mm
					
MODEL	SCL 654531	MODEL	SSP 654531	MODEL	STP 654531
Dimensions OD	650X450X315 mm	Dimensions OD	650X450X315 mm	Dimensions OD	650X450X315 mm
Dimensions ID	610X410X305 mm	Dimensions ID	610X410X305 mm	Dimensions ID	610X410X305 mm
					
MODEL	SCH 654535	MODEL	SCL 654535	MODEL	SCH 654548
Dimensions OD	650X450X355 mm	Dimensions OD	650X450X355 mm	Dimensions OD	650X450X485 mm
Dimensions ID	610X410X345 mm	Dimensions ID	610X410X345 mm	Dimensions ID	610X410X475 mm



MODEL	SCH 654548	MODEL	LID 650 X 450
Dimensions OD	650X450X485 mm	Dimensions OD	650X450 mm
Dimensions ID	610X410X475 mm		

SUPER JUMBO 810X570X430 MM



MODEL	SCH 805643
Dimensions OD	810X570X430 mm
Dimensions ID	765X525X410 mm



MODEL	STP 805643
Dimensions OD	810X570X430 mm
Dimensions ID	765X525X410 mm



MODEL	SSP 805643
Dimensions OD	810X570X430 mm
Dimensions ID	765X525X410 mm

DAIRY CRATES



MODEL	PC-101
Dimensions OD	564X294X176 mm
Dimensions ID	521X223X173 mm



Complete Closed with Handle

MODEL	PC-103
Dimensions OD	471X378X149 mm
Dimensions ID	427X335X136 mm



Complete Closed with Handle

MODEL	PC-107
Dimensions OD	470X370X170 mm
Dimensions ID	425X333X155 mm



MODEL	PC-108
Dimensions OD	470X370X168 mm
Dimensions ID	425X333X155 mm



MODEL	Ice Box
Dimensions OD	600x430x391 mm
Dimensions ID	504x352x338 mm




MODEL	Insulated Crate for Dairy Products
Dimensions OD	465x370x215mm
Dimensions ID	465x370x60mm

Fruits & Vegetable Crates

					
MODEL	PC-701 (Mini Tomato Crate) STP	MODEL	PC-702	MODEL	PC-703
Dimensions OD	400X325X270 mm	Dimensions OD	540x357x290 mm	Dimensions OD	595X395X255 mm
Dimensions ID	365X295X265 mm	Dimensions ID	500x326x285 mm	Dimensions ID	573x371x245 mm
					
Side Perforated, Holes in Bottom		Totally Perforated		Totally Perforated	
MODEL	PC-704	MODEL	PC-706	MODEL	PC-707
Dimensions OD	595x395x155 mm	Dimensions OD	540x357x290 mm	Dimensions OD	540X360X292 mm
Dimensions ID	573x371x145 mm	Dimensions ID	500x326x285 mm	Dimensions ID	510x325x280 mm
					
Totally Perforated					
MODEL	PC-708	MODEL	PC-710	MODEL	PC-711
Dimensions OD	540x357x290 mm	Dimensions OD	535x357x300 mm	Dimensions OD	545X360X280 mm
Dimensions ID	500x326x285 mm	Dimensions ID	505x322x290 mm	Dimensions ID	510x325x275 mm
					
MODEL	PC-713	MODEL	PC-714		
Dimensions OD	540x357x290 mm	Dimensions OD	540x357x290 mm		
Dimensions ID	500x326x285 mm	Dimensions ID	500x326x285 mm		

FPO BIN

					
MODEL	Mini Assembly Crate	MODEL	BIN-1	MODEL	BIN-5
Dimensions OD	153x115x80mm	Dimensions OD	95x102x51 mm	Dimensions OD	165x114x78 mm
		Effective Height	24 mm	Effective Height	44 mm
					
MODEL	BIN-15	MODEL	BIN-25	MODEL	BIN-35
Dimensions OD	200x126x100 mm	Dimensions OD	230 x 150x 127 mm	Dimensions OD	300 X 210 X 160 mm
Effective Height	50 mm	Effective Height	62 mm	Effective Height	85 MM
					
MODEL	BIN-45	MODEL	BIN-50		
Dimensions OD	350 x 211 x 200 mm	Dimensions OD	515 x 310 x 200 mm		
Effective Height		Effective Height	100 mm		